Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 2 (replaces version 1) Revision: 14.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Vario VE-Water**

· **Catalog number:** 461275, 457022

· **CAS No.:**
7732-18-5

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**
The substance is not classified, according to the GB CLP regulation.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008** Void
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements** Void

· **2.3 Other hazards** No further relevant information available.

· **Results of PBT and vPvB assessment**
Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.
· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.1 Substances**
· **CAS No. Designation:**
7732-18-5 water

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 2 (replaces version 1) Revision: 14.11.2023

Product name: Vario VE-Water

(Contd. of page 1)

· **Identification number(s):**
· **EC No:** 231-791-2

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information** No special measures required.
· **4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
· **5.2 Special hazards arising from the substance or mixture** The product is not combustible.
· **5.3 Advice for firefighters**
· **Protective equipment:** No special measures required.
· **Additional information** No special measures required.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:** No special measures required.
· **Advice for emergency responders:** No special measures required.

· **6.2 Environmental precautions:** No special measures required.
· **6.3 Methods and material for containment and cleaning up:** No special measures required.
· **6.4 Reference to other sections**
No dangerous materials are released.
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
· **Advice on safe handling:** No special measures required.
· **Hygiene measures:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Requirements to be met by storerooms and containers:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** Protect from the effects of light.
· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**
· **Components with limit values that require monitoring at the workplace:** Not required.

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Individual protection measures, such as personal protective equipment**
· **Eye/face protection** Not required.
· **Hand protection** Not required.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 2 (replaces version 1) Revision: 14.11.2023

Product name: Vario VE-Water

(Contd. of page 2)

· **Other skin protection (body protection):** Not required.
· **Breathing equipment:** Not required.

· **Environmental exposure controls** No special measures required.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Fluid
· **Form:**	Liquid
· **Colour:**	Colourless
· **Odour:**	Odourless
· **Odour threshold:**	Not applicable.
· **Melting point/Freezing point:**	0°C
· **Boiling point or initial boiling point and boiling range**	100°C
· **Flammability**	The product is not combustible.
· **Explosive properties:**	Product is not explosive.
· **Lower and upper explosion limit**	
Lower:	Not applicable.
Upper:	Not applicable.
· **Flash point:**	Not applicable.
· **Auto-ignition temperature:**	Not applicable.
· **Decomposition temperature:**	Not applicable.
· **pH**	Not determined.
· **Kinematic viscosity**	Not determined.
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not applicable.
· **Vapour pressure at 20°C:**	23 hPa Not determined.
· **Density and/or relative density**	
· **Density at 20°C:**	1 g/cm³
· **Relative density:**	Not determined.
· **Relative gas density**	Not determined.
· **Particle characteristics**	Not applicable (liquid).
· **9.2 Other information**	
· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	Void
· **Other safety characteristics**	
· **Oxidising properties:**	none
· **Additional information**	
· **Water:**	100 %
· **Molecular formula**	H_2O (M= 18 g/mol)

SECTION 10: Stability and reactivity

· **10.1 Reactivity** see section 10.3
· **10.2 Chemical stability** Stable at ambient temperature (room temperature).
· **10.3 Possibility of hazardous reactions**
Violent reactions possible with:
The generally known reaction partners of water.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 2 (replaces version 1) Revision: 14.11.2023

Product name: Vario VE-Water

(Contd. of page 3)

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Additional toxicological information:**
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· **Other information** No further relevant information available.

SECTION 12: Ecological information

· **12.1 Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **12.2 Persistence and degradability** No further relevant information available.
· **Other information:** Methods for the determination of biodegradability are not applicable to inorganic substances.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects** No special measures required.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation** Pour into the drain.

· **European waste catalogue**	
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	Void
· **14.2 UN proper shipping name**	
· **ADR, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)**	
· **ADR, IMDG, IATA**	
· **Class**	Void

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 2 (replaces version 1) Revision: 14.11.2023

Product name: Vario VE-Water

(Contd. of page 4)

· **14.4 Packing group** · **ADR, IMDG, IATA**	Void
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	Not dangerous according to the above specifications.

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**
Substance is not listed.

· **Regulated poisons**
Substance is not listed.

· **Reportable explosives precursors**
Substance is not listed.

· **Reportable poisons**
Substance is not listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
Substance is not listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
Substance is not listed.

· **Regulation (EC) No 273/2004 on drug precursors**
Substance is not listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
Substance is not listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**
Substance is not listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
Substance is not listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
Substance is not listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**
· **Named dangerous substances - ANNEX I** Substance is not listed.

· **Information about limitation of use:** Not required.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 5)

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Abbreviations and acronyms:**
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative

· **Sources** Data arise from safety data sheets, reference works and literature.

· *** Data compared to the previous version altered.**

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Vario Total Nitrogen Reagent B**

· **Catalog number:** 00530399, 530390, 4530390, 00570399, 00530419

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
· **Hazard pictograms**



GHS05

· **Signal word** Danger
· **Hazard-determining components of labelling:**
disodium disulphite
· **Hazard statements**
H318 Causes serious eye damage.
· **Precautionary statements**
P280 Wear eye protection / face protection.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent B

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

· **Additional information:**
EUH031 Contact with acids liberates toxic gas.

· **2.3 Other hazards** No further relevant information available.

· **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of organic and inorganic compounds

· **Dangerous components:**

CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO_2) substance with a Community workplace exposure limit	25–35%
CAS: 7681-57-4 EINECS: 231-673-0 Index No: 016-063-00-2 Reg.nr.: 01-2119531326-45-XXXX	disodium disulphite Eye Dam. 1, H318; Acute Tox. 4, H302, EUH031	5–10%
CAS: 5808-22-0 EINECS: 204-972-9	Chromotropic acid disodium salt dihydrate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5–<10%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information** Instantly remove any clothing soiled by the product.
· **After inhalation** Supply fresh air; consult doctor in case of symptoms.
· **After skin contact**
Instantly rinse with water.
If skin irritation continues, consult a doctor.
· **After eye contact**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
· **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Seek immediate medical advice.
· **Information for doctor** Sulphites are strong sensitizers.
· **4.2 Most important symptoms and effects, both acute and delayed:**
Irritation and corrosion
allergic reactions
after inhalation:
mucous membrane irritation
coughing
breathing difficulty
after swallowing of large amounts:
sickness
vomiting
diarrhoea
absorption
· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent B

(Contd. of page 2)

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
· **5.2 Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
Sulphur oxides (SOx)
Nitrogen oxides (NOx)
Sodium oxide
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:**
Avoid substance contact.
Ensure adequate ventilation
· **Advice for emergency responders:**
Put on breathing apparatus.
Protective equipment: see section 8

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
· **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Collect mechanically.
Dispose of contaminated material as waste according to item 13.
· **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
· **Advice on safe handling:**
Prevent formation of dust.
Thorough dedusting.
· **Hygiene measures:**
Avoid contact with the eyes.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Requirements to be met by storerooms and containers:** Store in cool location.
· **Information about storage in one common storage facility:**
Do not store together with acids.
Store away from oxidising agents.
see chapter 10
· **Further information about storage conditions:**
Protect from heat and direct sunlight.
Protect from the effects of light.
Store under dry conditions.
Protect from humidity and keep away from water.
· **Recommended storage temperature:** 20°C +/- 5°C

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 14808-60-7 Quartz (SiO_2)	
EXPOSURE LIMIT (HSE) (GB)	Long-term value: 0.1 (8h) mg/m³
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
CAS: 7681-57-4 disodium disulphite	
WEL (Great Britain)	Long-term value: 5 mg/m³

· **Regulatory information**
BOELV (European Union): EU 2022/431
WEL (Great Britain): EH40/2020

· **DNELs**
Derived No Effect Level (DNEL)

CAS: 7681-57-4 disodium disulphite		
Inhalative	DNEL	10 mg/m³ (Worker / long-term /systemic effects) (MERCK)

· **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **PNECs**
Predicted No Effect Concentration (PNEC)

CAS: 7681-57-4 disodium disulphite	
PNEC	75.4 mg/l (Sewage treatment plant) 0.1 mg/l (Marine water) 1 mg/l (Fresh water)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Individual protection measures, such as personal protective equipment**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
· **Eye/face protection** Tightly sealed safety glasses.
· **Hand protection**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
· **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Other skin protection (body protection):** Protective work clothing.
· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
· **Recommended filter device for short term use:** Filter P2

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent B

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Solid.
· **Form:**	Crystalline powder
· **Colour:**	yellowish - brown
· **Odour:**	Odourless
· **Odour threshold:**	Not applicable.
· **Melting point/Freezing point:**	Not determined.
· **Boiling point or initial boiling point and boiling range**	Not determined.
· **Flammability**	The product is not combustible.
· **Explosive properties:**	Product is not explosive.
· **Lower and upper explosion limit**	
Lower:	Not applicable.
Upper:	Not applicable.
· **Flash point:**	Not applicable.
· **Auto-ignition temperature:**	Not applicable (solid).
· **Decomposition temperature:**	Not determined.
· **pH**	Not determined.
· **Kinematic viscosity**	Not applicable (solid).
· **Solubility**	
· **Water:**	Partially insoluble.
· **Partition coefficient n-octanol/water (log value)**	Not applicable (mixture).
· **Vapour pressure:**	Not applicable.
· **Density and/or relative density**	
· **Density:**	Not determined.
· **Relative density:**	Not determined.
· **Relative gas density**	Not applicable (solid).
· **Particle characteristics**	Not determined.

· **9.2 Other information**

· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	Void
· **Other safety characteristics**	
· **Oxidising properties:**	none
· **Additional information**	
· **Solids content:**	100 %

SECTION 10: Stability and reactivity

· **10.1 Reactivity** see section 10.3
· **10.2 Chemical stability** Stable at ambient temperature (room temperature).
· **10.3 Possibility of hazardous reactions**
Contact with acids releases toxic gases
Reacts with acids releasing sulphur dioxide
Reacts with oxidizing agents
· **10.4 Conditions to avoid** strong heating
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:**
Sulphur dioxide
Ammonia (NH_3)
In case of fire: see section 5.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent B

(Contd. of page 5)

· **LD/LC50 values that are relevant for classification:**

CAS: 7681-57-4 disodium disulphite

Oral	LD50	1540 mg/kg (rat) (OECD 401) (MERCK)
Dermal	LD50.	>2000 mg/kg (rat) (RTECS)
Inhalative	LC50	>5.5 mg/l /4h (rat) (OECD 403) Registrant, ECHA: the value is given in analogy to sodium sulphite

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation**
Causes serious eye damage.
Risk of corneal clouding.

· **Information on components:**

CAS: 7681-57-4 disodium disulphite

Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: severe irritations)

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Information on components:**

CAS: 7681-57-4 disodium disulphite

Sensitisation	OECD 406	(guinea pig: negative)
	OECD 429	(negative) Local lymph node assay (LLNA) - Mouse Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Information on components:**
CAS 7681-75-4: Did not show carcinogenic effects in animal experiments (IUCLID).
CAS 7681-75-4: No impairment of reproductive performance in animal experiments (IUCLID).
CAS 7681-75-4: Did not show teratogenic effects in animal experients.

CAS: 7681-57-4 disodium disulphite

OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Additional toxicological information:**

CAS: 14808-60-7 Quartz (SiO_2)

. (source: GESTIS)
Main toxic effects:
acute: eye damage possible after direct contact (mechanical irritation depending on particle size)
chronic: lung damaging (silicosis)

CAS: 7681-57-4 disodium disulphite

. (source: GESTIS)
Main toxic effects:
Acute: Irritant effect on the eyes and respiratory tract, acute intolerance reactions (in case of disposition)
chronic: allergic skin diseases (rare)

Further information (Merck):
Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.
Persons with allergies and/or asthma may exhibit hypersensitivity to sulfites.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent B

(Contd. of page 6)

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
CAS: 7681-57-4 disodium disulphite	
EC50	89 mg/l/48h (Daphnia magna) (OECD 202) (MERCK)
IC50	48 mg/l/72h (Desmodesmus subspicatus) (OECD 201) (MERCK)
LC50	150–220 mg/l/96h (rainbow trout) (DIN 38412 Teil 15) (Merck)

· **Bacterial toxicity:**	
CAS: 7681-57-4 disodium disulphite	
EC50	56 mg/l (Pseudomonas putida) (17h) (IUCLID)

· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential**
Pow = n-octanol/wasser partition coefficient
log Pow < 1 = Does not accumulate in organisms.

CAS: 5808-22-0 Chromotropic acid disodium salt dihydrate	
log Pow	-4.48 (.) (calculated) (anhydrous substance)

· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects** Avoid transfer into the environment.
· **Water hazard:**
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

· **European waste catalogue**	
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR, IMDG, IATA** Void

· **14.2 UN proper shipping name**
· **ADR, IMDG, IATA** Void

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 7)

· **14.3 Transport hazard class(es)**	
· **ADR, IMDG, IATA**	
· **Class**	Void
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	Void
· **14.5 Environmental hazards:**	
· **Marine pollutant:**	No
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	Not dangerous according to the above specifications.

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
None of the ingredients is listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Information about limitation of use:** Not required.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 8)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
EUH031 Contact with acids liberates toxic gas.

· **Abbreviations and acronyms:**
EC50: effective concentration, 50 percent (in vivo)
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**
Data arise from safety data sheets, reference works and literature.
RTECS (Registry of Toxic Effects of Chemical Substances)
IUCLID (International Uniform Chemical Information Database)

· *** Data compared to the previous version altered.**

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 22 (replaces version 21) Revision: 14.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Vario Total Nitrogen Reagent A**

· **Catalog number:** 00530389, 530380, 4530380

· **CAS No.:**
7681-57-4
· **Registration number** 01-2119531326-45-XXXX

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**


GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.


GHS07

Acute Tox. 4 H302 Harmful if swallowed.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)


Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 22 (replaces version 21) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent A

(Contd. of page 1)

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger
· **Hazard-determining components of labelling:**
disodium disulphite
· **Hazard statements**
H302 Harmful if swallowed.
H318 Causes serious eye damage.
· **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
· **Additional information:**
EUH031 Contact with acids liberates toxic gas.

· **2.3 Other hazards** No further relevant information available.

· **Results of PBT and vPvB assessment**
Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.
· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.1 Substances** inorganic salt
· **CAS No. Designation:**
CAS: 7681-57-4 disodium disulphite
· **Identification number(s):**
· **EC No:** 231-673-0
· **Index No:** 016-063-00-2

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information** Instantly remove any clothing soiled by the product.
· **After inhalation** Supply fresh air.
· **After skin contact**
Instantly rinse with water.
If skin irritation continues, consult a doctor.
· **After eye contact**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
· **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.
· **Information for doctor** Sulphites are strong sensitizers.
· **4.2 Most important symptoms and effects, both acute and delayed:**
allergic reactions
irritations
after inhalation:
mucosal irritations, cough, shortness of breath
after swallowing:
absorption
gastric or intestinal trouble

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 22 (replaces version 21) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent A

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
· **For safety reasons unsuitable extinguishing agents**
For this substance / mixture no limitations of extinguishing agents are given.
· **5.2 Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
Sulphur oxides (SOx)
Sodium oxide
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Suppress (knock down) gases/vapours/mists wit a water spray jet.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Avoid substance contact.
Ensure adequate ventilation
Avoid breathing dust.
· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
· **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Collect mechanically.
Dispose of contaminated material as waste according to item 13.
· **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
· **Advice on safe handling:**
Prevent formation of dust.
Provide suction extractors if dust is formed.
· **Hygiene measures:**
Avoid contact with the eyes.
Avoid contact with the skin.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Requirements to be met by storerooms and containers:** Store in cool location.
· **Information about storage in one common storage facility:** Do not store together with acids.
· **Further information about storage conditions:**
Keep container tightly sealed.
Protect from heat and direct sunlight.
Protect from the effects of light.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 3)

Store under dry conditions.
Protect from humidity and keep away from water.

· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 7681-57-4 disodium disulphite	
WEL (Great Britain)	Long-term value: 5 mg/m³

· **Regulatory information** WEL (Great Britain): EH40/2020

· **DNELs**
Derived No Effect Level (DNEL)

CAS: 7681-57-4 disodium disulphite		
Inhalative	DNEL	10 mg/m³ (Worker / long-term /systemic effects) (MERCK)

· **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **PNECs**
Predicted No Effect Concentration (PNEC)

CAS: 7681-57-4 disodium disulphite	
PNEC	75.4 mg/l (Sewage treatment plant) 0.1 mg/l (Marine water) 1 mg/l (Fresh water)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Individual protection measures, such as personal protective equipment**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
· **Eye/face protection**
Tightly sealed safety glasses.
Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.
· **Hand protection**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
· **Penetration time of glove material**
Breakthrough time: > 480 min
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Other skin protection (body protection):** Protective work clothing.
· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
· **Recommended filter device for short term use:** Filter P2

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 22 (replaces version 21) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent A

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Solid.
· **Form:**	Powder
· **Colour:**	Colourless
· **Odour:**	Acrid
· **Odour threshold:**	Not determined.
· **Melting point/Freezing point:**	150°C
· **Boiling point or initial boiling point and boiling range**	Not applicable. Decomposition
· **Flammability**	The product is not combustible.
· **Explosive properties:**	Product is not explosive.
· **Lower and upper explosion limit**	
Lower:	Not applicable.
Upper:	Not applicable.
· **Flash point:**	Not applicable.
· **Auto-ignition temperature:**	Not applicable (solid).
· **Decomposition temperature:**	> 150°C
· **pH (50 g/l) at 20°C**	4.5
· **Kinematic viscosity**	Not applicable (solid).
· **Solubility**	
· **Water at 20°C:**	650 g/l Readily soluble
· **Partition coefficient n-octanol/water (log value)**	Not applicable.
· **Vapour pressure:**	Not applicable (solid).
· **Density and/or relative density**	
· **Density at 20°C:**	2.36 g/cm³
· **Relative density:**	Not determined.
· **Relative gas density**	Not applicable (solid).
· **Particle characteristics**	Not determined.

· **9.2 Other information**

· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	Void
· **Other safety characteristics**	
· **Oxidising properties:**	none
· **Additional information**	
· **Solids content:**	100 %
· **Molecular formula**	Na2S2O5

SECTION 10: Stability and reactivity

· **10.1 Reactivity** see section 10.3
· **10.2 Chemical stability** Stable at ambient temperature (room temperature).
· **10.3 Possibility of hazardous reactions**
Contact with acids releases toxic gases
Reacts with acids releasing sulphur dioxide
Exothermic reaction with:
Oxidant, nitrites, nitrates, sulfides
· **10.4 Conditions to avoid** Strong heating (decomposition)
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:**
Sulphur dioxide
In case of fire: see section 5.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Harmful if swallowed.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 22 (replaces version 21) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent A

(Contd. of page 5)

· **LD/LC50 values that are relevant for classification:**

CAS: 7681-57-4 disodium disulphite		
Oral	LD50	1540 mg/kg (rat) (OECD 401) (MERCK)
Dermal	LD50.	>2000 mg/kg (rat) (RTECS)
Inhalative	LC50	>5.5 mg/l /4h (rat) (OECD 403) Registrant, ECHA: the value is given in analogy to sodium sulphite

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation**
Causes serious eye damage.
Risk of corneal clouding.

· **Information on components:**

CAS: 7681-57-4 disodium disulphite		
Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: severe irritations)

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Information on components:**

CAS: 7681-57-4 disodium disulphite		
Sensitisation	OECD 406	(guinea pig: negative)
	OECD 429	(negative) Local lymph node assay (LLNA) - Mouse Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Information on components:**
CAS 7681-57-4: Did not show carcinogenic effects in animal experiments (IUCLID).
CAS 7681-57-4: No impairment of reproductive performance in animal experiments (IUCLID).
OECD 414: Teratogenicity testing
OECD 473: Mutagenicity testing
OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 7681-57-4 disodium disulphite	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on likely routes of exposure**
When working with sodium metabisulfite, inhalative and dermal exposures are to be expected. [GESTIS]

· **Additional toxicological information:**

CAS: 7681-57-4 disodium disulphite
. (source: GESTIS) Main toxic effects: Acute: Irritant effect on the eyes and respiratory tract, acute intolerance reactions (in case of disposition) chronic: allergic skin diseases (rare) Further information (Merck): Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Persons with allergies and/or asthma may exhibit hypersensitivity to sulfites.

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 6)

· **Other information**
According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
CAS: 7681-57-4 disodium disulphite	
EC50	89 mg/l/48h (Daphnia magna) (OECD 202) (MERCK)
IC50	48 mg/l/72h (Desmodesmus subspicatus) (OECD 201) (MERCK)
LC50	150–220 mg/l/96h (rainbow trout) (DIN 38412 Teil 15) (Merck)

· **Bacterial toxicity:**	
CAS: 7681-57-4 disodium disulphite	
EC50	56 mg/l (Pseudomonas putida) (17h) (IUCLID)

· **12.2 Persistence and degradability** No further relevant information available.
· **Other information:** Methods for the determination of biodegradability are not applicable to inorganic substances.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects** Avoid transfer into the environment.
· **Water hazard:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

· **European waste catalogue**	
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	Void
· **14.2 UN proper shipping name**	
· **ADR, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)**	
· **ADR, IMDG, IATA**	
· **Class**	Void
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	Void

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 7)

· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	Not dangerous according to the above specifications.

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**
Substance is not listed.

· **Regulated poisons**
Substance is not listed.

· **Reportable explosives precursors**
Substance is not listed.

· **Reportable poisons**
Substance is not listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
Substance is not listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
Substance is not listed.

· **Regulation (EC) No 273/2004 on drug precursors**
Substance is not listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
Substance is not listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**
Substance is not listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
Substance is not listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
Substance is not listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**

· **Named dangerous substances - ANNEX I** Substance is not listed.

· **Information about limitation of use:** Not required.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 22 (replaces version 21) Revision: 14.11.2023

Product name: Vario Total Nitrogen Reagent A

(Contd. of page 8)

· **Training hints** Provide adequate information, instruction and training for operators.

· **Abbreviations and acronyms:**
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· **Sources**
Data arise from safety data sheets, reference works and literature.
IUCLID (International Uniform Chemical Information Database)
RTECS (Registry of Toxic Effects of Chemical Substances)

· *** Data compared to the previous version altered.**

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 18 (replaces version 17) Revision: 14.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Vario Total N Persulfate RGT**

· **Catalog number:** 00530379, 530370, 4530370, 00570379

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**


GHS03 flame over circle

Ox. Sol. 3 H272 May intensify fire; oxidiser.


GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.


GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 18 (replaces version 17) Revision: 14.11.2023

Product name: Vario Total N Persulfate RGT

(Contd. of page 1)

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
· **Hazard pictograms**



GHS03 GHS07 GHS08

· **Signal word** Danger
· **Hazard-determining components of labelling:**
disodium peroxodisulphate
potassium persulphate
· **Hazard statements**
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
· **Precautionary statements**

P261	Avoid breathing dust.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.

· **2.3 Other hazards** No further relevant information available.

· **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of inorganic compounds.

· **Dangerous components:**

CAS: 7775-27-1 EINECS: 231-892-1	disodium peroxodisulphate Ox. Sol. 3, H272; Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	80–90%
CAS: 7727-21-1 EINECS: 231-781-8 Index No: 016-061-00-1	potassium persulphate Ox. Sol. 3, H272; Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	5–<10%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information** Instantly remove any clothing soiled by the product.
· **After inhalation** Supply fresh air or oxygen; call for doctor.
· **After skin contact**
Instantly rinse with water.
If skin irritation continues, consult a doctor.
· **After eye contact** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 2)

· **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.
· **4.2 Most important symptoms and effects, both acute and delayed:**
allergic reactions
irritations
after inhalation:
mucosal irritations, cough, shortness of breath
after swallowing:
sickness
vomiting
gastric or intestinal trouble
mucous membrane irritation
headache
· **Danger**
Danger of pulmonary oedema.
risk of airways sensitization
risk of skin sensitization
· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Water, Carbon dioxide (CO_2), Foam, Fire-extinguishing powder
· **For safety reasons unsuitable extinguishing agents**
For this substance / mixture no limitations of extinguishing agents are given.
· **5.2 Special hazards arising from the substance or mixture**
The product is not combustible.
Has a fire-promoting effect due to release of oxygen.
Risk of dust explosion
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
Sulphur oxides (SOx)
Sodium oxide
Dipotassium oxide
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Avoid substance contact.
Ensure adequate ventilation
Avoid causing dust.
· **Advice for emergency responders:** Protective equipment: see section 8
· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
· **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Collect mechanically.
Dispose of contaminated material as waste according to item 13.
· **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 3)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
· **Advice on safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of dust.
Thorough dedusting.
· **Hygiene measures:**
Do not inhale dust / smoke / mist.
Avoid contact with the skin.
Avoid contact with the eyes.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Requirements to be met by storerooms and containers:**
Store in cool location.
Protect from heat.
· **Information about storage in one common storage facility:**
Store away from flammable substances.
Store away from reducing agents.
see chapter 10
· **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
Protect from heat and direct sunlight.
Protect from the effects of light.
Protect from humidity and keep away from water.
· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Individual protection measures, such as personal protective equipment**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
· **Eye/face protection** Safety glasses
· **Hand protection**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
· **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Other skin protection (body protection):** Protective work clothing.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 4)

· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
· **Recommended filter device for short term use:** Filter P2

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Solid.
· **Form:**	Powder
· **Colour:**	White
· **Odour:**	Odourless
· **Odour threshold:**	Not applicable.
· **Melting point/Freezing point:**	Not determined.
· **Boiling point or initial boiling point and boiling range**	Not determined.
· **Flammability**	Contact with combustible material may cause fire.
· **Explosive properties:**	Product is not explosive. Risk of dust explosion if enriched with fine dust in presence of air
· **Lower and upper explosion limit**	
Lower:	Not determined.
Upper:	Not determined.
· **Flash point:**	Not applicable.
· **Auto-ignition temperature:**	Not applicable (solid).
· **Decomposition temperature:**	> 100°C (CAS 7727-21-1)
· **pH (25 g/l) at 20°C**	4.5
· **Kinematic viscosity**	Not applicable (solid).
· **Solubility**	
· **Water:**	Soluble
· **Partition coefficient n-octanol/water (log value)**	Not applicable (mixture).
· **Vapour pressure:**	Not applicable.
· **Density and/or relative density**	
· **Density at 20°C:**	2.41 g/cm³
· **Relative density:**	Not determined.
· **Relative gas density**	Not applicable (solid).
· **Particle characteristics**	Not determined.
· **9.2 Other information**	
· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	Void
· **Other safety characteristics**	
· **Oxidising properties:**	May intensify fire; oxidiser.
· **Additional information**	
· **Solids content:**	100.0 %
· **Solvent content:**	
· **Organic solvents:**	0 %

SECTION 10: Stability and reactivity

· **10.1 Reactivity** Risk of dust explosion
· **10.2 Chemical stability** Stable at ambient temperature (room temperature).
· **10.3 Possibility of hazardous reactions**
Reacts with alcohols
Reacts with reducing agents
Reacts with heavy metals
Reacts with strong acids and alkali
· **10.4 Conditions to avoid**
Exposure to moisture.
Strong heating (decomposition)
· **10.5 Incompatible materials:** combustible substances
· **10.6 Hazardous decomposition products:**
oxygen

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 18 (replaces version 17) Revision: 14.11.2023

Product name: Vario Total N Persulfate RGT

(Contd. of page 5)

see section 5

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity**
Classification according to calculation procedure:
Harmful if swallowed.

· **Acute toxicity estimate ($ATE_{(MIX)}$) - Calculation method:**		
Oral	CLP $ATE_{(MIX)}$	907 mg/kg (.)

· **LD/LC50 values that are relevant for classification:**		
CAS: 7775-27-1 disodium peroxodisulphate		
Oral	LD50	920 mg/kg (rat) (IUCLID)
Dermal	LD50	>10000 mg/kg (rabbit)
	LD50 IPR	226 mg/kg (mouse)
CAS: 7727-21-1 potassium persulphate		
Oral	LD50	802 mg/kg (rat) (RTECS)
Dermal	LD50	>10000 mg/kg (rabbit)

· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye irritation.
· **Information on components:**
CAS 7775-27-1: chronic: dermatitis

CAS: 7775-27-1 disodium peroxodisulphate		
Irritation of skin	OECD 404	(rabbit: slight irritation) (ECHA: read-across CAS 7727-54-0 Diammonium persulfate)
Irritation of eyes	OECD 405	(rabbit: slight irritation)
CAS: 7727-21-1 potassium persulphate		
Irritation of skin	OECD 404	(rabbit: slight irritation) (ECHA: read-across CAS 7727-54-0 Diammonium persulfate)
Irritation of eyes	OECD 405	(rabbit: slight irritation)

· **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

· **Information on components:**		
CAS: 7775-27-1 disodium peroxodisulphate		
Sensitisation	OECD 406	(guinea pig: positive)

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Information on components:**
OECD 414: Teratogenicity testing
OECD 473: Mutagenicity testing
OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 7775-27-1 disodium peroxodisulphate	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (IUCLID)

· **STOT (specific target organ toxicity) -single exposure** May cause respiratory irritation.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on likely routes of exposure**
In persons occupationally exposed to persulphates, skin diseases have been observed very frequently, which were attributed to irritative effects on the one hand, but predominantly to allergic reactions. In addition to the above-mentioned early-type reactions, allergic dermatitis and chronic recurrent eczema have been described as late-type reactions. (GESTIS)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 18 (replaces version 17) Revision: 14.11.2023

Product name: Vario Total N Persulfate RGT

(Contd. of page 6)

· **Additional toxicological information:**

CAS: 7775-27-1 disodium peroxodisulphate

. (source: GESTIS)
acute: irritant effect on mucous membranes, sensitising effect, danger of acute intolerance reactions
chronic: allergic skin and respiratory diseases[GESTIS]

CAS: 7727-21-1 potassium persulphate

. (source: GESTIS)
acute: sensitising effect, danger of acute hypersensitivity reactions.
chronic: allergic skin and respiratory diseases[GESTIS]

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· **Other information**
Other dangerous properties can not be excluded.
According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 7775-27-1 disodium peroxodisulphate

EC50	133 mg/l/48h (Daphnia magna)
NOEC	91.7 mg/l/96h (rainbow trout) (ECHA)
NOEC	67.6 mg/l/48h (Daphnia magna) (ECHA)
LC50	771 mg/l/96h (bluegill)
	163 mg/l/96h (rainbow trout) (ECHA)

CAS: 7727-21-1 potassium persulphate

EC50	120 mg/l/48h (Daphnia magna)
LC50	100 mg/l/96h (guppy) (Hommel)

· **Bacterial toxicity:**

CAS: 7727-21-1 potassium persulphate

EC50	36 mg/l (Pseudomonas putida) (Hommel)

· **Other information:**
Toxic for fish:
Sulphates > 7 g/l
· **12.2 Persistence and degradability** .
· **Other information:**
Mixture of inorganic compounds.
Methods for the determination of biodegradability are not applicable to inorganic substances.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
Reacts with water to form toxic decomposition products.
Avoid transfer into the environment.
· **Water hazard:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 18 (replaces version 17) Revision: 14.11.2023

Product name: Vario Total N Persulfate RGT

(Contd. of page 7)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

· **European waste catalogue**	
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR, IMDG, IATA** UN3215

· **14.2 UN proper shipping name**
· **ADR** 3215 PERSULPHATES, INORGANIC, N.O.S.
· **IMDG, IATA** PERSULPHATES, INORGANIC, N.O.S.

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 5.1 (O2) Oxidising substances.
· **Label** 5.1

· **IMDG, IATA**



· **Class** 5.1 Oxidising substances.
· **Label** 5.1

· **14.4 Packing group**
· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:** Not applicable.

· **14.6 Special precautions for user** Warning: Oxidising substances.
· **Kemler Number:** 50
· **EMS Number:** F-A,S-Q
· **Stowage Category** A
· **Segregation Code** SG40 Stow "separated from" SGG2-ammonium compounds other than mixtures of ammonium persulphates and/or potassium persulphates and/or sodium persulphates.
SG49 Stow "separated from" SGG6-cyanides

· **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

· **Transport/Additional information:**

· **ADR**
· **Limited quantities (LQ)** 5 kg
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g
· **Transport category** 3

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 8)

· **Tunnel restriction code**	E
· **IMDG**	
· **Limited quantities (LQ)**	5 kg
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
None of the ingredients is listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **Seveso category** P8 OXIDISING LIQUIDS AND SOLIDS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **Information about limitation of use:** Employment restrictions concerning young persons must be observed (94/33/EC).

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 9)

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

· **Abbreviations and acronyms:**
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Ox. Sol. 3: Oxidizing solids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**
Data arise from safety data sheets, reference works and literature.
ECHA: European CHemicals Agency http://echa.europa.eu
GESTIS- Stoffdatenbank (Substance Database, Germany)
IUCLID (International Uniform Chemical Information Database)

· *** Data compared to the previous version altered.**

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 22 (replaces version 21) Revision: 19.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Total Nitrogen Hydroxide LR / HR**

· **Catalog number:** 424446, 00530359, 00530369, 530350, 530360, 4530360, 4530350

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**


GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.


GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
· **Hazard pictograms**


GHS05

· **Signal word** Warning

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 22 (replaces version 21) Revision: 19.09.2022

Product name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 1)

· **Hazard statements**
H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
· **Precautionary statements**
P280 Wear protective gloves / eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 IF ON SKIN: Wash with plenty of water.
P390 Absorb spillage to prevent material damage.
P308+P311 IF exposed or concerned: Call a doctor.

· **2.3 Other hazards** No further relevant information available.

· **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** aqueous solution

· **Dangerous components:**

CAS: 1310-73-2 EINECS: 215-185-5 Index No: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	0.5–<1%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information** Instantly remove any clothing soiled by the product.
· **After inhalation** Supply fresh air; consult doctor in case of symptoms.
· **After skin contact**
Instantly rinse with water.
If skin irritation continues, consult a doctor.
· **After eye contact** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
· **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.
· **4.2 Most important symptoms and effects, both acute and delayed:** irritations
· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
· **5.2 Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 22 (replaces version 21) Revision: 19.09.2022

Product name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 2)

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
· **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
neutralize with diluted sulphuric acid
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose of contaminated material as waste according to item 13.
· **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
· **Advice on safe handling:** No special precautions necessary if used correctly.
· **Hygiene measures:**
Avoid contact with the skin.
Avoid contact with the eyes.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Requirements to be met by storerooms and containers:** Store in cool location.
· **Information about storage in one common storage facility:** Store away from metals.
· **Further information about storage conditions:**
Protect from heat and direct sunlight.
Protect from the effects of light.
Protect from humidity and keep away from water.
· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 1310-73-2 sodium hydroxide	
WEL (Great Britain)	Short-term value: 2 mg/m³

· **Regulatory information** WEL (Great Britain): EH40/2020

· **DNELs**
Derived No Effect Level (DNEL)

CAS: 1310-73-2 sodium hydroxide		
Inhalative	DNEL	1 mg/m³ (Worker / long-term / local effects) 1 mg/m³ (Consumer / long-term / local effects)

· **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 3)

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Individual protection measures, such as personal protective equipment**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
· **Eye/face protection**
Safety glasses
use against the effects of fumes / dust
· **Hand protection**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
· **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Other skin protection (body protection):** Protective work clothing.
· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
· **Recommended filter device for short term use:** Filter P2

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Fluid
· **Form:**	Solution
· **Colour:**	Colourless
· **Odour:**	Odourless
· **Odour threshold:**	Not applicable.
· **Melting point/Freezing point:**	0°C
· **Boiling point or initial boiling point and boiling range**	100°C (CAS: 7732-18-5 water)
· **Flammability**	The product is not combustible.
· **Explosive properties:**	Product is not explosive.
· **Lower and upper explosion limit**	
Lower:	Not applicable.
Upper:	Not applicable.
· **Flash point:**	Not applicable.
· **Auto-ignition temperature:**	Not applicable.
· **Decomposition temperature:**	Not determined.
· **pH at 20°C**	12.1
· **Kinematic viscosity**	Not determined.
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not applicable (mixture).
· **Vapour pressure at 20°C:**	23 hPa (CAS: 7732-18-5 water)
· **Density and/or relative density**	
· **Density at 20°C:**	1.01 g/cm³
· **Relative density:**	Not determined.
· **Relative gas density**	Not determined.
· **Particle characteristics**	Not applicable (liquid).
· **9.2 Other information**	
· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	May be corrosive to metals.
· **Metals that are corroded by the substance or mixture**	Information on incompatible materials can be found in Sections 7 and 10.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 4)

· **Other safety characteristics**	
· **Oxidising properties:**	none
· **Additional information**	
· **Solids content:**	< 1 %
· **Solvent content:**	
· **Water:**	> 99 %

SECTION 10: Stability and reactivity

· **10.1 Reactivity** see section 10.3
· **10.2 Chemical stability** Stable at ambient temperature (room temperature).
· **10.3 Possibility of hazardous reactions**
Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)
Corrosive action on metals
Corrodes aluminium
Exothermic reaction with acids
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:**
metals
light metals
zinc
aluminium
NHx
· **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**		
CAS: 1310-73-2 sodium hydroxide		
Oral	LDLo	500 mg/kg (rabbit) (IUCLID)

· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye irritation.
· **Information on components:** CAS 1310-73-2: chronic: dermatitis

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Information on components:**		
CAS: 1310-73-2 sodium hydroxide		
Sensitisation	Patch test (human)	(negative)

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 22 (replaces version 21) Revision: 19.09.2022

Product name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 5)

· **Additional toxicological information:**

CAS: 1310-73-2 sodium hydroxide

. (source: GESTIS)
Main toxic effects:
Acute: strong irritation and caustic effect on all contacted mucous membranes and the skin, risk of irreversible eye damage (risk of blindness)
Chronic: Irritant effect on eyes, respiratory tract and skin

Further information:
Irrespective of the route of exposure, the focus is on the local effect, which is characterized by swelling and dissolution of the contacted tissue (colliquation necrosis) that progresses rapidly in depth.
The extent of the tissue damage essentially depends on the duration of exposure, concentration, pH value, dose and onset of treatment measures.

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 1310-73-2 sodium hydroxide

LC50	40.4 mg/l/48h (Ceriodaphnia sp.) (ECHA)

· **Bacterial toxicity:**

CAS: 1310-73-2 sodium hydroxide

EC50	22 mg/l (Photobacterium phosphoreum) (15 min)

· **12.2 Persistence and degradability** .
· **Other information:**
Mixture of inorganic compounds.
Methods for the determination of biodegradability are not applicable to inorganic substances.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
Harmful effect due to pH shift.
Forms corrosive mixtures with water even if diluted.
Neutralisation possible in waste water treatment plants.
Avoid transfer into the environment.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

· **European waste catalogue**

16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 22 (replaces version 21) Revision: 19.09.2022

Product name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 6)

SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR, IMDG, IATA** UN1824

· **14.2 UN proper shipping name**
· **ADR** 1824 SODIUM HYDROXIDE SOLUTION
· **IMDG, IATA** SODIUM HYDROXIDE SOLUTION

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 8 (C5) Corrosive substances.
· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances.
· **Label** 8

· **14.4 Packing group**
· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:** Not applicable.

· **14.6 Special precautions for user** Warning: Corrosive substances.
· **Kemler Number:** 80
· **EMS Number:** F-A,S-B
· **Segregation groups** (SGG18) Alkalis
· **Stowage Category** A
· **Segregation Code** SG35 Stow "separated from" SGG1-acids

· **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

· **Transport/Additional information:**

· **ADR**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
· **Transport category** 3
· **Tunnel restriction code** E

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**
None of the ingredients is listed.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 22 (replaces version 21) Revision: 19.09.2022

Product name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 7)

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
The concentration of the substance is less than the stated mass percentage and is therefore of no concern:

CAS: 1310-73-2	sodium hydroxide	12% of total caustic alkalinity

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **Information about limitation of use:** Not required.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

· **Abbreviations and acronyms:**
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 8)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Met. Corr.1: Corrosive to metals – Category 1
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· **Sources**
Data arise from safety data sheets, reference works and literature.
IUCLID (International Uniform Chemical Information Database)
ECOTOX Database
GESTIS- Stoffdatenbank (Substance Database, Germany)

· *** Data compared to the previous version altered.**

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2023 Version number 21 (replaces version 20) Revision: 27.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Total Nitrogen Acid LR/HR**

· **Catalog number:** 00530409, 530400, 424487, 4530400, 5304010, 5304020, 005304091, 00530408

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
· **Hazard pictograms**



GHS05

· **Signal word** Danger
· **Hazard-determining components of labelling:**
sulphuric acid 86 %
· **Hazard statements**
H290 May be corrosive to metals.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2023 Version number 21 (replaces version 20) Revision: 27.10.2023

Product name: Total Nitrogen Acid LR/HR

(Contd. of page 1)

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.

· **2.3 Other hazards**
Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.
Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

· **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** sulfuric acid solution

· **Dangerous components:**

CAS: 7664-93-9 EINECS: 231-639-5 Index No: 016-020-00-8 Reg.nr.: 01-2119458838-20-XXXX	sulphuric acid Met. Corr.1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	80–90%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information** Instantly remove any clothing soiled by the product.
· **After inhalation**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness bring patient into stable side position for transport.
· **After skin contact**
Wash with polyethylene glycol 400 and then rinse with copious amounts of water.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
· **After eye contact**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
· **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Do not induce vomiting; instantly call for medical help.
· **4.2 Most important symptoms and effects, both acute and delayed:**
after inhalation:
damage to the affected mucous membranes
coughing
breathing difficulty
after swallowing:
diarrhoea
pain
sickness
vomiting
cramps
· **Danger**
Danger of impaired breathing.
Danger of gastric perforation.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed:**
If swallowed or in case of vomiting, danger of entering the lungs
Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** CO_2, sand, extinguishing powder.
· **For safety reasons unsuitable extinguishing agents** Water
· **5.2 Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
Sulphur oxides (SOx)
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Avoid substance contact.
Ensure adequate ventilation
· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
· **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Neutralize with diluted sodium hydroxide solution.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose of contaminated material as waste according to item 13.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
· **Advice on safe handling:**
Open and handle container with care.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Hygiene measures:**
Do not inhale gases / fumes / aerosols.
Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Requirements to be met by storerooms and containers:** Store in cool location.
· **Information about storage in one common storage facility:**
Store away from metals.
Do not store together with alkalis (caustic solutions).
Store away from flammable substances.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 3)

· **Further information about storage conditions:**
Keep container tightly sealed.
Protect from heat and direct sunlight.
Protect from the effects of light.
Protect from humidity and keep away from water.
· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 7664-93-9 sulphuric acid	
WEL (Great Britain)	Long-term value: 0.05* mg/m³ *mist: defined as thoracic fraction
IOELV (European Union)	Long-term value: 0.05 mg/m³

· **Regulatory information**
WEL (Great Britain): EH40/2020
IOELV (European Union): (EU) 2019/1831
· **Additional information:** IOELV = Indicative Occupational Exposure Limit

· **DNELs**
Derived No Effect Level (DNEL)

CAS: 7664-93-9 sulphuric acid		
Inhalative	DNEL	0.1 mg/m³ (Worker / acute / local effects)
		0.05 mg/m³ (Worker / acute / systemic effects)

· **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **PNECs**
Predicted No Effect Concentration (PNEC)

CAS: 7664-93-9 sulphuric acid	
PNEC	8.8 mg/l (Sewage treatment plant)
	0.00025 mg/l (Marine water)
	0.0025 mg/l (Fresh water)
PNEC	0.002 mg/kg (Marine sediment)
	0.002 mg/kg (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Individual protection measures, such as personal protective equipment**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
· **Eye/face protection**
Tightly sealed safety glasses.
Face protection
· **Hand protection**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.7 mm
· **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 4)

· **Other skin protection (body protection):** Acid resistant protective clothing
· **Breathing equipment:**
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
· **Recommended filter device for short term use:** Combination filter B-P2

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Fluid
· **Form:**	Liquid
· **Colour:**	Clear
· **Odour:**	Recognisable
· **Odour threshold:**	Not determined.
· **Melting point/Freezing point:**	Not determined.
· **Boiling point or initial boiling point and boiling range**	Not determined.
· **Flammability**	The mixture is capable of catching fire or being set on fire.
· **Explosive properties:**	Product is not explosive.
· **Lower and upper explosion limit**	
Lower:	Not applicable.
Upper:	Not applicable.
· **Flash point:**	Not applicable.
· **Auto-ignition temperature:**	Not applicable.
· **Decomposition temperature:**	Not determined.
· **pH at 20°C**	< 1
· **Kinematic viscosity**	Not determined.
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not applicable (mixture).
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20°C:**	1.8 g/cm³
· **Relative density:**	Not determined.
· **Relative gas density**	Not determined.
· **Particle characteristics**	Not applicable (liquid).
· **9.2 Other information**	
· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	May be corrosive to metals.
· **Metals that are corroded by the substance or mixture**	Information on incompatible materials can be found in Sections 7 and 10.
· **Other safety characteristics**	
· **Oxidising properties:**	none
· **Additional information**	
· **Solvent content:**	
· **Organic solvents:**	0 %
· **Water:**	> 10 %

SECTION 10: Stability and reactivity

· **10.1 Reactivity** see section 10.3
· **10.2 Chemical stability** Stable at ambient temperature (room temperature).
· **10.3 Possibility of hazardous reactions**
Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)
Corrosive action on metals
When diluting, always add acid to water, never vice versa
Diluting or dissolving in water always causes rapid heating
Reacts with peroxides
Reacts with reducing agents
Reacts with halogenated compounds

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 5)

Reacts with oxidizing agents
Reacts with acids and alkali (lyes).
Reacts with ammonia (NH_3).
· **10.4 Conditions to avoid** strong heating
· **10.5 Incompatible materials:**
metals
combustible substances
organic solvents
· **10.6 Hazardous decomposition products:**
Sulphur oxides (SOx)
see section 5

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**		
CAS: 7664-93-9 sulphuric acid		
Oral	LD50	2140 mg/kg (rat) (IUCLID)
Inhalative	LC 50	510 mg/m³/2h (rat) IUCLID

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.
· **Serious eye damage/irritation**
Causes serious eye damage.
Risk of blindness!

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on likely routes of exposure**
The intake of sulfuric acid is mainly to be expected via the inhalative pathway in the form of aerosols. No studies on absorbability are available.
Generally, local reactions cause the main effects.
Following impact to the skin strong local effects are the main issue. There is no indication of absorption of relevant amounts of S. via the intact skin.
Absorbability via the gastrointestinal tract is assumed. However, no studies on the kinetics of uptake are available. [GESTIS]

· **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.

CAS: 7664-93-9 sulphuric acid
. (source: GESTIS) Main toxic effects Acute: Irritation up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs Chronic: Irritation to the eyes and airways, erosion of the teeth, damage to the skin Further Information: Concentrated S. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects. With increased dilution Sulfuric acid acts less aggressively.

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 6)

· **Other information**
According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
CAS: 7664-93-9 sulphuric acid	
EC50	>100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA)
LC50	16–29 mg/l/96h (bluegill) (Merck)

· **Bacterial toxicity:** sulphates toxic > 2.5 g/l
· **Other information:**
Toxic for fish:
Sulphates > 7 g/l
· **12.2 Persistence and degradability** .
· **Other information:**
Mixture of inorganic compounds.
Does not cause biolocigal oxygen deficit.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
Harmful effect due to pH shift.
Forms corrosive mixtures with water even if diluted.
Avoid transfer into the environment.
· **Water hazard:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
· **Remark:** neutralization possible

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

· **European waste catalogue**	
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	UN1830
· **14.2 UN proper shipping name**	
· **ADR**	1830 SULPHURIC ACID
· **IMDG, IATA**	SULPHURIC ACID

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2023 Version number 21 (replaces version 20) Revision: 27.10.2023

Product name: Total Nitrogen Acid LR/HR

(Contd. of page 7)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**	8 (C1) Corrosive substances.
· **Label**	8

· **IMDG, IATA**



· **Class**	8 Corrosive substances.
· **Label**	8
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	II
· **14.5 Environmental hazards:**	
· **Marine pollutant:**	No
· **14.6 Special precautions for user**	Warning: Corrosive substances.
· **Kemler Number:**	80
· **EMS Number:**	F-A,S-B
· **Segregation groups**	(SGG1) Acids
· **Stowage Category**	E
· **Stowage Code**	SW15 For metal drums, stowage category B.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	
· **ADR**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**

The substance falls under regulated explosive precursors due to the fact that the concentration is greater than/equal (c≥ x%) the stated mass percentage:

CAS: 7664-93-9	sulphuric acid	15%

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2023 Version number 21 (replaces version 20) Revision: 27.10.2023

Product name: Total Nitrogen Acid LR/HR

(Contd. of page 8)

· **Reportable poisons**
None of the ingredients is listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated: article

· **explosives precursors - ANNEX I**

CAS: 7664-93-9	sulphuric acid	*

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

CAS: 7664-93-9	sulphuric acid	3

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

CAS: 7664-93-9	sulphuric acid	3

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **Information about limitation of use:** Employment restrictions concerning young persons must be observed (94/33/EC).

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

· **Abbreviations and acronyms:**
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
EC50: effective concentration, 50 percent (in vivo)
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 9)

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Met. Corr.1: Corrosive to metals – Category 1
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· **Sources**
Data arise from safety data sheets, reference works and literature.
CSST (Service du répertoire toxicologique)
IUCLID (International Uniform Chemical Information Database)
International Chemical Safety Cards (ICSCs)
GESTIS- Stoffdatenbank (Substance Database, Germany)

· *** Data compared to the previous version altered.**