Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 10 (replaces version 9) Revision: 13.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Iron Reagent FE6**

· **Catalog number:** 56Z006398, 56L006365, 56U006365, 56L006330, 56U006330, 56R023790, 56L0063, SDT113

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)


Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 10 (replaces version 9) Revision: 13.11.2023

Product name: Iron Reagent FE6

(Contd. of page 1)

· **Hazard pictograms**



GHS05 GHS06

· **Signal word** Danger
· **Hazard-determining components of labelling:**
ammonium mercaptoacetate
mercaptoacetic acid
· **Hazard statements**
H290 May be corrosive to metals.
H301 Toxic if swallowed.
H332 Harmful if inhaled.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
· **Precautionary statements**

P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P310	IF exposed or concerned: Immediately call a POISON CENTER/doctor.
P405	Store locked up.

· **2.3 Other hazards**
The following applies to Mercaptane in general: offensive odour
CAS 68-11-1 / 5421-46-5: Danger by skin resorption.
Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

· **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** aqueous solution

· **Dangerous components:**

CAS: 5421-46-5 EINECS: 226-540-9 Reg.nr.: 01-2119531489-31-XXXX	ammonium mercaptoacetate Acute Tox. 3, H301; Acute Tox. 2, H330; Met. Corr.1, H290; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 ATE: LD50 oral: 100 mg/kg LC50/4h inhalative: 0.51 mg/l	20–30%
CAS: 68-11-1 EINECS: 200-677-4 Index No: 607-090-00-6 Reg.nr.: 01-2119494933-24-XXXX	mercaptoacetic acid Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314	10–20%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information**
Personal protection for the First Aider!
Instantly remove any clothing soiled by the product.
Remove breathing apparatus only after soiled clothing has been completely removed.
· **After inhalation**
Supply fresh air or oxygen; call for doctor.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 2)

In case of irregular breathing or respiratory arrest provide artificial respiration.
Call a doctor immediately.

· **After skin contact**
Instantly wash with polyethylene glycol 400.
Instantly rinse with water.
Call a doctor immediately.

· **After eye contact**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.

· **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Do not induce vomiting; instantly call for medical help.

· **4.2 Most important symptoms and effects, both acute and delayed:**
Irritation and corrosion
allergic reactions
absorption
after inhalation:
coughing
breathing difficulty
damage to the affected mucous membranes
after swallowing:
sickness
vomiting
strong caustic effect.
after absorption of large amounts:
headache
drop in blood pressure
CNS disorders
respiratory paralysis

· **Danger**
Danger of gastric perforation.
Danger of pulmonary oedema.

· **4.3 Indication of any immediate medical attention and special treatment needed:**
If swallowed or in case of vomiting, danger of entering the lungs
Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
· **5.2 Special hazards arising from the substance or mixture**
mixture with combustible ingredients
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
Nitrogen oxides (NOx)
Sulphur oxides (SOx)
Ammonia (NH_3)
Carbon monoxide (CO) and carbon dioxide (CO_2)
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Suppress (knock down) gases/vapours/mists wit a water spray jet.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 3)

Avoid substance contact.
Do not breathe vapors/spray.
Ensure adequate ventilation
Use breathing protection against the effects of fumes/dust/aerosol.

· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.

· **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose of contaminated material as waste according to item 13.

· **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

· **Advice on safe handling:**
Open and handle container with care.
Prevent formation of aerosols.
Work only in fume cupboard.

· **Hygiene measures:**
Do not inhale gases / fumes / aerosols.
Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing.
Store protective clothing separately.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and containers:**
Store in cool location.
Store only in the original container.

· **Information about storage in one common storage facility:**
Store away from metals.
Store away from oxidising agents.

· **Further information about storage conditions:**
Store in a locked cabinet or with access restricted to technical experts or their assistants.
Store in cool, dry conditions in well sealed containers.
Protect from heat and direct sunlight.
Protect from the effects of light.
Protect from humidity and keep away from water.

· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 68-11-1 mercaptoacetic acid	
WEL (Great Britain)	Long-term value: 3.8 mg/m³, 1 ppm

· **Regulatory information** WEL (Great Britain): EH40/2020

· **DNELs**
Derived No Effect Level (DNEL)

CAS: 5421-46-5 ammonium mercaptoacetate		
Dermal	DNEL	2.06 mg/kg (Worker / long-term /systemic effects)
CAS: 68-11-1 mercaptoacetic acid		
Dermal	DNEL	1.6 mg/kg (Worker / long-term /systemic effects)
Inhalative	DNEL	4.5 mg/m³ (Worker / acute / systemic effects)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 4)

		1.13 mg/m³ (Worker / long-term /systemic effects)

· **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **PNECs**
Predicted No Effect Concentration (PNEC)

CAS: 5421-46-5 ammonium mercaptoacetate	
PNEC	0.38 mg/l (Sewage treatment plant)
	0.0038 mg/l (Marine water)
	0.38 mg/l (Aquatic intermittent release)
	0.038 mg/l (Fresh water)
CAS: 68-11-1 mercaptoacetic acid	
PNEC	0.0053 mg/kg (Soil)
	0.0009 mg/kg (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Individual protection measures, such as personal protective equipment**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
· **Eye/face protection**
Tightly sealed safety glasses.
Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.
· **Hand protection**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
Butyl rubber, BR
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.5 mm
· **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **As protection from splashes gloves made of the following materials are suitable:**
nitrile
Recommended thickness of the material: ≥ 0.2 mm
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Other skin protection (body protection):** Protective work clothing.
· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
· **Recommended filter device for short term use:** Filter A

· **Environmental exposure controls** Avoid release to the environment.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Fluid
· **Form:**	Liquid
· **Colour:**	Light brown
· **Odour:**	Like rotten eggs (mercaptans)
· **Odour threshold:**	Not determined.
· **Melting point/Freezing point:**	Not determined.
· **Boiling point or initial boiling point and boiling range**	Not determined.
· **Flammability**	mixture with combustible ingredients

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 5)

· **Explosive properties:**	Product is not explosive.
· **Lower and upper explosion limit**	
Lower:	Not applicable.
Upper:	Not applicable.
· **Flash point:**	131°C (CAS: 68-11-1 mercaptoacetic acid)
· **Auto-ignition temperature:**	Not determined.
· **Decomposition temperature:**	Not determined.
· **pH at 20°C**	4.5
· **Kinematic viscosity**	Not determined.
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not applicable (mixture).
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20°C:**	1.1 g/cm³
· **Relative density:**	Not determined.
· **Relative gas density**	Not determined.
· **Particle characteristics**	Not applicable (liquid).

· **9.2 Other information**

· **Information with regard to physical hazard classes**	.
· **Corrosive to metals**	May be corrosive to metals.
· **Metals that are corroded by the substance or mixture**	Information on incompatible materials can be found in Sections 7 and 10.
· **Other safety characteristics**	
· **Oxidising properties:**	none
· **Additional information**	
· **Solids content:**	0 %
· **Solvent content:**	
· **Organic solvents:**	0 %
· **Water:**	> 50 %

SECTION 10: Stability and reactivity

· **10.1 Reactivity** see section 10.3
· **10.2 Chemical stability**
Stable at ambient temperature (room temperature).
sensitive to air
· **10.3 Possibility of hazardous reactions**
Corrosive action on metals
Reacts with certain metals
Reacts with organic substances
Reacts with strong acids
Reacts with alkalis releasing ammonia
Reacts with strong alkalis and oxidizing agents.
· **10.4 Conditions to avoid** strong heating
· **10.5 Incompatible materials:** metals
· **10.6 Hazardous decomposition products:**
hydrogen sulphide
In case of fire: see section 5.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity**
Classification according to calculation procedure:
Toxic if swallowed.
Harmful if inhaled.

· **Acute toxicity estimate ($ATE_{(MIX)}$) - Calculation method:**		
Oral	CLP $ATE_{(MIX)}$	166 mg/kg (.)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 10 (replaces version 9) Revision: 13.11.2023

Product name: Iron Reagent FE6

(Contd. of page 6)

Inhalative	CLP $ATE_{(MIX)}$	3.4 mg/l/4h (aerosol (dust, mist)) 20.5 mg/l/4h (vapour)

· **LD/LC50 values that are relevant for classification:**

CAS: 5421-46-5 ammonium mercaptoacetate		
Oral	LD50	100 mg/kg (ATE)
	LD50.	50–200 mg/kg (rat) (OECD 423) (Registrant, ECHA: 71% solution)
Dermal	LD50	1100 mg/kg (ATE)
	LD_0	>1430 mg/kg (rat) (OECD 402) (> 2000 mg/kg of a 71 % aqueous test solution - Registrant, ECHA)
Inhalative	LC50/4h	0.5 mg/l (ATE)
	LC_0	>1.95 mg/l (rat) (1h, Aerosol, OECD 402) (> 2.75 mg/l/1h of a 71% aqueous test solution - Registrant, ECHA)
CAS: 68-11-1 mercaptoacetic acid		
Oral	LD50	73 mg/kg (rat) (OECD 401)
Dermal	LD50	848 mg/kg (rabbit) (Registrant, ECHA)
Inhalative	LC50/4h	3 mg/l (ATE)

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.
· **Serious eye damage/irritation**
Causes serious eye damage.
Risk of blindness!

· **Information on components:**

CAS: 5421-46-5 ammonium mercaptoacetate		
Irritation of skin	OECD 404	(rabbit: slight irritation) (71 % aqueous test solution - Registrant, ECHA)
Irritation of eyes	OECD 405	(rabbit: slight irritation)

· **Respiratory or skin sensitisation** May cause an allergic skin reaction.

· **Information on components:**

CAS: 5421-46-5 ammonium mercaptoacetate		
Sensitisation	OECD 406	(guinea pig: positive)
CAS: 68-11-1 mercaptoacetic acid		
Sensitisation	OECD 406	(guinea pig: negative)

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Information on components:**
OECD 414: Teratogenicity testing
OECD 473: Mutagenicity testing
OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 5421-46-5 ammonium mercaptoacetate	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)
OECD 414	(negative) (Prenatal Developmental Toxicity Study) (NOEL: 75 mg/kg, 71 % test solution - SDS Registrant)
CAS: 68-11-1 mercaptoacetic acid	
OECD 474	(negative) (Mammalian Erythrocyte Micronucleus Test)

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on likely routes of exposure**
The main routes of intake for thioglycolic acid proceed via the respiratory tract and through the skin.
Respiratory tract: because of the low vapor pressure an inhalative exposure is possible mainly in the form of aerosols.
Skin: based on physicochemical parameters, it was calculated that skin contact can provide a contribution to the total exposure comparable to the inhalative uptake. [GESTIS]

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 7)

Main routes of exposure: Ammonium thioglycolate is expected to enter the body through inhalative exposure and skin contact. [GESTIS]

· **Additional toxicological information:**
CAS 68-11-1: Absorption through gastro-intestinal tract, mucous membranes
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

CAS: 5421-46-5 ammonium mercaptoacetate
. (source: GESTIS) Main toxic effects Acute: Irritation to the eyes, airways and skin, allergic skin reactions for sensitized persons, regarding systemic effects no data available. Chronic: Weakly sensitizing potential, damage to the skin (irritatively/allergically conditioned)
CAS: 68-11-1 mercaptoacetic acid
. (source: GESTIS) Main toxic effects Acute: Irritation or corrosion to the mucous membranes and skin, danger of serious damage to the eyes, insufficient data is available regarding systemic effects Chronic: Damage to the skin

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· **Other information**
Other dangerous properties can not be excluded.
According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
CAS: 5421-46-5 ammonium mercaptoacetate	
LC50	>100 mg/l/96h (rainbow trout) (OECD 203) (71 % test solution)
CAS: 68-11-1 mercaptoacetic acid	
EC50	38 mg/l/48h (Daphnia magna)
IC50	13 mg/l/72h (Algeal toxicity) (OECD 201) (Merck)
EC50	13 mg/l/72h (Pseudokirchneriella subcapitata) (OECD 201)
LC50	30 mg/l/96h (fathhead minnow) (Merck-ECOTOX)

· **12.2 Persistence and degradability**	
CAS: 68-11-1 mercaptoacetic acid	
OECD 301 D	70 % / 28 d (readily biodegradable) (Closed Bottle Test)

· **12.3 Bioaccumulative potential**
BCF = Bioconcentration factor
Pow = n-octanol/wasser partition coefficient
log Pow < 1 = Does not accumulate in organisms.

CAS: 5421-46-5 ammonium mercaptoacetate	
log Pow	-2.99 (.) (calculated) (pH 7, SDS Registrant)
CAS: 68-11-1 mercaptoacetic acid	
log Pow	-2.99 (.) (OECD 107) (ECHA, Registrant)

· **Bioconcentration factor (BCF)**	
CAS: 5421-46-5 ammonium mercaptoacetate	
BCF	1 (.) (calculated) (SDS Registrant)

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 10 (replaces version 9) Revision: 13.11.2023

Product name: Iron Reagent FE6

(Contd. of page 8)

CAS: 68-11-1 mercaptoacetic acid	
BCF	1 (.) (calculated) (SDS Registrant)

· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects** Avoid transfer into the environment.
· **Water hazard:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

· European waste catalogue	
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR, IMDG, IATA** UN2922

· **14.2 UN proper shipping name**
· **ADR** 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (THIOGLYCOLIC ACID, ammonium mercaptoacetate)
· **IMDG, IATA** CORROSIVE LIQUID, TOXIC, N.O.S. (THIOGLYCOLIC ACID, ammonium mercaptoacetate)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 8 (CT1) Corrosive substances.
· **Label** 8+6.1

· **IMDG**



· **Class** 8 Corrosive substances.
· **Label** 8/6.1

· **IATA**



· **Class** 8 Corrosive substances.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 9)

· **Label**	8 (6.1)
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	II
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Warning: Corrosive substances.
· **Kemler Number:**	86
· **EMS Number:**	F-A,S-B
· **Segregation groups**	(SGG1) Acids
· **Stowage Category**	B
· **Stowage Code**	SW2 Clear of living quarters.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	
· **ADR**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
None of the ingredients is listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
None of the ingredients is listed.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 10 (replaces version 9) Revision: 13.11.2023

Product name: Iron Reagent FE6

(Contd. of page 10)

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **Information about limitation of use:**
Employment restrictions concerning young persons must be observed (94/33/EC).
Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**
H290 May be corrosive to metals.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H331 Toxic if inhaled.

· **Abbreviations and acronyms:**
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 11)

· **Sources**
Data arise from safety data sheets, reference works and literature.
ECHA: European CHemicals Agency http://echa.europa.eu
GESTIS- Stoffdatenbank (Substance Database, Germany)

· *** Data compared to the previous version altered.**

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.09.2024 Version number 10 (replaces version 9) Revision: 27.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Hardness Total Buffer TH2**

· **Catalog number:**
56Z016098, 56L016030, 56L016065, 56U016030, 56U016065, 56L016072, 56L016097, 56U016072, 56U016097, 56L016090, 56L016095, 56L016099, 56L0160, SDT046

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**
Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com
phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom
phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**
e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**
+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)


Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.09.2024 Version number 10 (replaces version 9) Revision: 27.09.2024

Product name: Hardness Total Buffer TH2

(Contd. of page 1)

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger
· **Hazard-determining components of labelling:**
2-aminoethanol
· **Hazard statements**
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
· **Precautionary statements**

P260	Do not breathe mist/vapours/spray.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

· **2.3 Other hazards**
Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.
CAS 141-43-5: Danger by skin resorption.
Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

· **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** aqueous solution

· **Dangerous components:**

CAS: 141-43-5 EINECS: 205-483-3 Index No: 603-030-00-8	2-aminoethanol Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 ATE: LC50/4h inhalative: 11 mg/l Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	20–30%
CAS: 2002-24-6 EINECS: 217-900-6	2-hydroxyethylammonium chloride Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5–<10%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information** Instantly remove any clothing soiled by the product.
· **After inhalation** Supply fresh air or oxygen; call for doctor.
· **After skin contact**
Wash with polyethylene glycol 400 and then rinse with copious amounts of water.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
· **After eye contact**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
· **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Do not induce vomiting; instantly call for medical help.

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 2)

· **4.2 Most important symptoms and effects, both acute and delayed:**
burns
absorption
after inhalation:
mucosal irritations, cough, shortness of breath
· **Danger**
Danger of gastric perforation.
Danger of pulmonary oedema.
· **4.3 Indication of any immediate medical attention and special treatment needed:**
If swallowed or in case of vomiting, danger of entering the lungs
Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Water, Carbon dioxide (CO_2), Foam, Fire-extinguishing powder
· **For safety reasons unsuitable extinguishing agents**
For this substance / mixture no limitations of extinguishing agents are given.
· **5.2 Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
nitrous gases
Nitrogen oxides (NOx)
Sulphur oxides (SOx)
Hydrogen chloride (HCl)
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
· **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Avoid substance contact.
Ensure adequate ventilation
Use breathing protection against the effects of fumes/dust/aerosol.
· **Advice for emergency responders:** Protective equipment: see section 8
· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
· **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose of contaminated material as waste according to item 13.
· **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
· **Advice on safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Prevent formation of aerosols.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 3)

· **Hygiene measures:**
Do not inhale gases / fumes / aerosols.
Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Requirements to be met by storerooms and containers:** Store in cool location.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store container in a well ventilated position.
Protect from the effects of light.
Protect from humidity and keep away from water.
· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 141-43-5 2-aminoethanol	
WEL (Great Britain)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk
IOELV (European Union)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Skin

· **Regulatory information**
WEL (Great Britain): EH40/2020
IOELV (European Union): (EU) 2019/1831

· **DNELs**
Derived No Effect Level (DNEL)

CAS: 141-43-5 2-aminoethanol		
Oral	DNEL	3.75 mg/kg (Consumer / long-term / systemic effects)
Dermal	DNEL	1 mg/kg (Worker / long-term /systemic effects)
		0.24 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	3.3 mg/m³ (Worker / long-term / local effects)
		2 mg/m³ (Consumer / long-term / systemic effects)

· **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **PNECs**
Predicted No Effect Concentration (PNEC)

CAS: 141-43-5 2-aminoethanol	
PNEC	100 mg/l (Sewage treatment plant)
	0.0085 mg/l (Marine water)
	0.025 mg/l (Aquatic intermittent release)
	0.085 mg/l (Fresh water)
PNEC	0.035 mg/kg (Soil)
	0.0425 mg/kg (Marine sediment)
	0.425 mg/kg (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 4)

See item 7.

· **Individual protection measures, such as personal protective equipment**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
· **Eye/face protection**
Tightly sealed safety glasses.
Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.
· **Hand protection**
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
· **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Other skin protection (body protection):** Protective work clothing.
· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
· **Recommended filter device for short term use:** Filter A

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **Physical state**	Fluid
· **Form:**	Liquid
· **Colour:**	Light brown
· **Odour:**	Ammonia-like
· **Odour threshold:**	CAS 141-43-5: 2-4 ppm
· **Melting point/Freezing point:**	Not determined.
· **Boiling point or initial boiling point and boiling range**	105°C
· **Flammability**	The product is not combustible.
· **Explosive properties:**	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
· **Lower and upper explosion limit**	
Lower:	Not determined.
Upper:	Not determined.
· **Flash point:**	Not applicable.
· **Auto-ignition temperature:**	Not applicable.
· **Decomposition temperature:**	Not determined.
· **pH at 20°C**	10.5
· **Kinematic viscosity**	Not determined.
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not applicable (mixture).
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20°C:**	1 g/cm³
· **Relative density:**	Not determined.
· **Relative gas density**	Not determined.
· **Particle characteristics**	Not applicable (liquid).
· **9.2 Other information**	
· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	Void
· **Other safety characteristics**	
· **Oxidising properties:**	none
· **Additional information**	
· **Solids content:**	< 10 %
· **Solvent content:**	
· **Organic solvents:**	20 - 30 %

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 5)

· **Water:**	< 70 %

SECTION 10: Stability and reactivity

· **10.1 Reactivity** Fumes can combine with air to form an explosive mixture.
· **10.2 Chemical stability** Stable at ambient temperature (room temperature).
· **10.3 Possibility of hazardous reactions**
Reacts with acids, alkalis and oxidizing agents
If heated:
Forms explosive gas mixture with air
· **10.4 Conditions to avoid** Heating.
· **10.5 Incompatible materials:**
copper
rubber
· **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**		
CAS: 141-43-5 2-aminoethanol		
Oral	LD50	1720 mg/kg (rat) (GESTIS)
Dermal	LD50	1010 mg/kg (rabbit) (GESTIS)
Inhalative	LC50/4h	11 mg/l (ATE)

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.
· **Serious eye damage/irritation**
Causes serious eye damage.
Risk of blindness!

· **Information on components:**		
CAS: 141-43-5 2-aminoethanol		
Irritation of skin	OECD 404	(rabbit: burns) (IUCLID)
Irritation of eyes	OECD 492	(rabbit: burns) (IUCLID)

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
· **Information on components:** CAS 141-43-5: Sensitizing effect by skin contact is possible by prolonged/repeated exposure.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Information on components:**
OECD 414: Teratogenicity testing
OECD 473: Mutagenicity testing
OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 141-43-5 2-aminoethanol	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)
OECD 474	(negative)

· **STOT (specific target organ toxicity) -single exposure** May cause respiratory irritation.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on likely routes of exposure**
The main route of absorption for 2-aminoethanol (MEA) is through the respiratory tract.
However, the possibility of penetration of the liquid through the skin should not be disregarded. [GESTIS]

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 6)

· **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
CAS 141-43-5 is skin-resorbing.

CAS: 141-43-5 2-aminoethanol
. (source: GESTIS) Depending on the concentration and duration of exposure, MEA causes severe irritation or even burns on all contacted mucous membranes and also on the skin, which can occur with a certain delay. Symptoms of acute poisoning: Eyes: Conjunctivitis up to damage to the cornea. Skin: irritation, swelling; chemical burns possible with prolonged exposure to the undiluted substance; sensitization Inhalation: irritation of the airways up to toxic pulmonary edema; even at lower concentrations, pulmonary dysfunction cannot be ruled out; Resorptive effects can occur relatively quickly Ingestion: (only experience from animal experiments): irritation to damage to mucous membranes that have been contacted; systemic effects Absorption (only in animal experiments): loss of muscle tone; sedation, dyspnoea, convulsions, damage to blood vessels; Functional changes up to damage to various organs (especially liver, kidneys, lungs).

· **11.2 Information on other hazards**
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· **Other information**
According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
CAS: 141-43-5 2-aminoethanol	
EC50	65 mg/l/48h (Daphnia magna) (IUCLID)
IC50	22 mg/l/72h (Desmodesmus subspicatus) (IUCLID)
LC50	150 mg/l/96h (rainbow trout) (IUCLID)

· **12.2 Persistence and degradability**	
CAS: 141-43-5 2-aminoethanol	
OECD 301 F	90–100 % / 28 d (readily biodegradable) (Manometric Respirometry)

· **12.3 Bioaccumulative potential**
Pow = n-octanol/wasser partition coefficient
log Pow < 1 = Does not accumulate in organisms.

CAS: 141-43-5 2-aminoethanol	
log Pow	-1.91 (.) (OECD 107 / 25°C)
CAS: 2002-24-6 2-hydroxyethylammonium chloride	
log Pow	-4.8 (calculation) (Merck)

· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects** Avoid transfer into the environment.
· **Water hazard:**
Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 7)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

· **European waste catalogue**	
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR, IMDG, IATA** UN2491

· **14.2 UN proper shipping name**
· **ADR** 2491 ETHANOLAMINE SOLUTION
· **IMDG, IATA** ETHANOLAMINE SOLUTION

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 8 (C7) Corrosive substances.
· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances.
· **Label** 8

· **14.4 Packing group**
· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:**
· **Marine pollutant:** No

· **14.6 Special precautions for user** Warning: Corrosive substances.
· **Kemler Number:** 80
· **EMS Number:** F-A,S-B
· **Stowage Category** A
· **Segregation Code** SG35 Stow "separated from" SGG1-acids

· **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

· **Transport/Additional information:**

· **ADR**
· **Excepted quantities (EQ):** E1
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
· **Transport category** 3
· **Tunnel restriction code** E

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 8)

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
None of the ingredients is listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**
None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**
None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **REGULATION (EU) 2024/590 on substances that deplete the ozone layer**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
· **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

· **Directive 2012/18/EU (SEVESO III):**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **Information about limitation of use:**
Employment restrictions concerning young persons must be observed (94/33/EC).
Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).

· **National regulations**

· **VOC-value EC:** ~688.4 g/l

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 9)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

· **Abbreviations and acronyms:**
EC50: effective concentration, 50 percent (in vivo)
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**
Data arise from safety data sheets, reference works and literature.
GESTIS- Stoffdatenbank (Substance Database, Germany)
IUCLID (International Uniform Chemical Information Database)

· *** Data compared to the previous version altered.**