

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier**Product name:** COD / CSB 0-15000 mg/l**Catalog number:** 424438, 2420722, 420722, 2420727, 420727**1.2 Relevant identified uses of the substance or mixture and uses advised against****Application of the substance / the preparation:** Reagent for water analysis**1.3 Details of the supplier of the safety data sheet****Supplier:**

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@lovibond.uk

Informing department:

e-mail: sds@lovibond.com
Product Safety Department

1.4 Emergency telephone number:

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture**Classification according to Regulation (EC) No 1272/2008**

GHS06 skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS08 health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 1)



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms

GHS05



GHS06



GHS08



GHS09

Signal word Danger**Hazard-determining components of labelling:**

sulphuric acid 61 %

mercury sulphate

potassium dichromate

Hazard statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H340 May cause genetic defects.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P310 IF exposed or concerned: Immediately call a POISON CENTER/doctor.

P405 Store locked up.

Additional information:

EUH208 Contains potassium dichromate. May produce an allergic reaction.

Restricted to professional users.

2.3 Other hazards

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

CAS 7783-35-9: Danger by skin resorption.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures**Description:** sulfuric acid solution

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 2)

Dangerous components:

The percent content of the chromium compound mentioned below refers to the amount of chromate ions dissolved in water.

The percent content of the mercury compound mentioned below refers to the amount of the pure mercury therein.

CAS: 7664-93-9 EINECS: 231-639-5 Index No: 016-020-00-8 Reg.nr.: 01-2119458838-20-XXXX	sulphuric acid ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 15\%$ Skin Irrit. 2; H315: $5\% \leq C < 15\%$ Eye Dam. 1; H318: $C \geq 15\%$ Eye Irrit. 2; H319: $5\% \leq C < 15\%$	60–70%
CAS: 7783-35-9 EINECS: 231-992-5 Index No: 080-002-00-6	mercury sulphate ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ⚠ STOT RE 2, H373; ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1) Specific concentration limit: STOT RE 2; H373: $C \geq 0.1\%$	0.25–<1%
CAS: 10294-26-5 EINECS: 233-653-7	disilver(1+) sulfate ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	0.25–<1%
CAS: 7778-50-9 EINECS: 231-906-6 Index No: 024-002-00-6 Reg.nr.: 01-2119454792-32-XXXX	potassium dichromate ⚠ Ox. Sol. 2, H272; ⚠ Acute Tox. 3, H301; Acute Tox. 2, H330; ⚠ Resp. Sens. 1, H334; Muta. 1B, H340; Carc. 1B, H350; Repr. 1B, H360FD; STOT RE 1, H372; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H312; Skin Sens. 1, H317 Specific concentration limit: STOT SE 3; H335: $C \geq 5\%$	0.1–<0.3%

SVHC

CAS: 7778-50-9 | potassium dichromate

SVHC (UK)

CAS: 7778-50-9 | potassium dichromate

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures**General information**

Personal protection for the First Aider!

Instantly remove any clothing soiled by the product.

After inhalation

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Wash with polyethylene glycol 400 and then rinse with copious amounts of water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed:

burns

allergic reactions

absorption

after inhalation:

coughing

breathing difficulty

asthma attacks

damage to the affected mucous membranes

after swallowing:

strong caustic effect.

sickness

vomiting

bloody diarrhoea

pain

cramps

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 3)

after absorption:
cardiovascular disorders
unconsciousness
CNS disorders
methaemoglobin formation

· **Danger**

Danger of system failure.
Danger of gastric perforation.
Danger of pulmonary oedema.
risk of skin sensitization
risk of airways sensitization

· **4.3 Indication of any immediate medical attention and special treatment needed:**

If swallowed or in case of vomiting, danger of entering the lungs
Subsequent observation for pneumonia and pulmonary oedema
Symptoms of poisoning may even occur after several hours.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, sand, extinguishing powder.
Water spray jet

· **For safety reasons unsuitable extinguishing agents**

Water with a full water jet.
--> exothermic reaction

· **5.2 Special hazards arising from the substance or mixture**

The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
Sulphur oxides (SO_x)
mercury vapours
chromium trioxide
Dipotassium oxide

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.
Wear full protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

· **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.
Avoid substance contact.
Ensure adequate ventilation
Use breathing protection against the effects of fumes/dust/aerosol.

· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or water bodies.
Inform respective authorities in case product reaches water or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.
Use neutralising agent.
Neutralize with diluted sodium hydroxide solution.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose of contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 8 for information on personal protection equipment.

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 4)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Advice on safe handling:**
 - Open and handle container with care.
 - Prevent formation of aerosols.
 - Work only in fume cupboard.
- **Hygiene measures:**
 - Do not inhale gases / fumes / aerosols.
 - Do not get in eyes, on skin, or on clothing.
 - Take off immediately all contaminated clothing.
 - Store protective clothing separately.
 - Wash hands during breaks and at the end of the work.
 - Do not eat, drink or smoke when using this product.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and containers:**
 - Store in cool location.
 - Keep only in original packaging.
- **Information about storage in one common storage facility:**
 - Store away from metals.
 - Do not store together with alkalis (caustic solutions).
 - Store away from flammable substances.
- **Further information about storage conditions:**
 - Store in a locked cabinet or with access restricted to technical experts or their assistants.
 - Keep container tightly sealed.
 - Protect from heat and direct sunlight.
 - Protect from the effects of light.
 - Protect from humidity and keep away from water.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**

CAS: 7664-93-9 sulphuric acid

WEL (Great Britain)	Long-term value: 0.05* mg/m ³ *mist: defined as thoracic fraction
IOELV (European Union)	Long-term value: 0.05 mg/m ³

CAS: 7783-35-9 mercury sulphate

WEL (Great Britain)	Long-term value: 0.02 mg/m ³ as Hg
BOELV (European Union)	Long-term value: 0.02 mg/m ³ as Hg
IOELV (European Union)	Long-term value: 0.02 mg/m ³ as Hg

CAS: 10294-26-5 disilver(1+) sulfate

WEL (Great Britain)	Long-term value: 0.01 mg/m ³ as Ag
---------------------	--

CAS: 7778-50-9 potassium dichromate

WEL (Great Britain)	Long-term value: 0.01 0.025* mg/m ³ as Cr; Carc, Sen, BMGV; *process generated
BOELV (European Union)	Long-term value: 0.005; 0.01*; 0.025** mg/m ³ as Cr; *until 01/17/2025**processes generating fume

- **Regulatory information**
 - WEL (Great Britain): EH40/2020
 - IOELV (European Union): (EU) 2019/1831
 - BOELV (European Union): EU 2022/431

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 5)

· **Additional information:** IOELV = Indicative Occupational Exposure Limit

· **DNELs**

Derived No Effect Level (DNEL)

CAS: 7664-93-9 sulphuric acid		
Inhalative	DNEL	0.1 mg/m ³ (Worker / acute / local effects)
		0.05 mg/m ³ (Worker / acute / systemic effects)

· **Recommended monitoring procedures:**

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **PNECs**

Predicted No Effect Concentration (PNEC)

CAS: 7664-93-9 sulphuric acid		
PNEC		8.8 mg/l (Sewage treatment plant)
		0.00025 mg/l (Marine water)
		0.0025 mg/l (Fresh water)
PNEC		0.002 mg/kg (Marine sediment)
		0.002 mg/kg (Fresh water sediment)

· **Ingredients with biological limit values:**

CAS: 7783-35-9 mercury sulphate	
BMGV (Great Britain)	20 µmol/mol creatinine
	Medium: urine
	Sampling time: random
	Parameter: mercury
CAS: 7778-50-9 potassium dichromate	
BMGV (Great Britain)	10 µmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: chromium

· **Regulatory information** BMGV (Great Britain): EH40/2011

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· **Individual protection measures, such as personal protective equipment**

· **Eye/face protection**

Tightly sealed safety glasses.

Face protection

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· **Hand protection**

Acid resistant gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.3 mm

· **Penetration time of glove material**

Value for the permeation: Level = 1 (< 10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Other skin protection (body protection):** Acid resistant protective clothing

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Recommended filter device for short term use:** Combination filter B-P2

· **Environmental exposure controls**

Avoid release to the environment.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 6)

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Physical state	Fluid
· Form:	Solution
· Colour:	Yellow-brown
· Odour:	Recognisable
· Odour threshold:	Not determined.
· Melting point/Freezing point:	Not determined.
· Boiling point or initial boiling point and boiling range	>100°C
· Flammability	The product is not combustible.
· Explosive properties:	Product is not explosive.
· Lower and upper explosion limit	
Lower:	Not applicable.
Upper:	Not applicable.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable.
· Decomposition temperature:	Not applicable.
· pH at 20°C	1
	Strongly acidic
· Kinematic viscosity	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20°C:	1.58 g/cm ³
· Relative density:	Not determined.
· Relative gas density	Not determined.
· Particle characteristics	Not applicable (liquid).

· 9.2 Other information

· Information with regard to physical hazard classes	
· Corrosive to metals	May be corrosive to metals.
· Metals that are corroded by the substance or mixture	Information on incompatible materials can be found in Sections 7 and 10.
· Other safety characteristics	
· Oxidising properties:	CAS 7664-93-9 : Oxidising potential
· Additional information	
· Solids content:	<5 %
· Solvent content:	
· Organic solvents:	0 %
· Water:	30 - 40 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
 - Corrosive action on metals
 - Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)
 - When diluting, always add acid to water, never vice versa
 - Diluting or dissolving in water always causes rapid heating
 - Reacts with acids, alkalis and oxidizing agents
 - Reacts with reducing agents
 - Reacts with peroxides
 - Reacts with halogenated compounds
 - Reacts with ammonia (NH₃).

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 7)

- **10.4 Conditions to avoid** strong heating
- **10.5 Incompatible materials:**
 - metals
 - combustible substances
 - organic solvents
 - organic substances
- **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity**

Classification according to calculation procedure:
Harmful if swallowed.
Toxic in contact with skin.

- **Acute toxicity estimate (ATE_(MIX)) - Calculation method:**

Oral	CLP ATE _(MIX)	930 mg/kg (.)
Dermal	CLP ATE _(MIX)	948 mg/kg (.)
Inhalative	CLP ATE _(MIX)	8 mg/l/4h (aerosol (dust, mist))

- **LD/LC50 values that are relevant for classification:**

CAS: 7664-93-9 sulphuric acid

Oral	LD50	2140 mg/kg (rat) (IUCLID)
Inhalative	LC 50	510 mg/m³/2h (rat) IUCLID

CAS: 7783-35-9 mercury sulphate

Oral	LD50	5 mg/kg (ATE)
	LD50.	57 mg/kg (rat) (RTECS)
Dermal	LD50	5 mg/kg (ATE)
	LD50.	625 mg/kg (rat)
Inhalative	LC50/4h	0.05 mg/l (ATE)

CAS: 7778-50-9 potassium dichromate

Oral	LD50	90.5 mg/kg (rat) (OECD 401) (ECHA, registrant: LD50 = 90.5 mg/kg female to 168.0 mg/kg male)
	LDLo	26 mg/kg (child) 143 mg/kg (man)
	LD50	1170 mg/kg (rat) (IUCLID)
Dermal	LD50	1170 mg/kg (rat) (IUCLID)
	LD50	1170 mg/kg (rat) (IUCLID)
Inhalative	LC50/4h	0.094 mg/l (rat) (OECD 403, Aerosol)
	LD50 IPR	28 mg/kg (rat)

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
Risk of blindness!

- **Information on components:**

CAS: 7778-50-9 potassium dichromate

Irritation of skin	OECD 404	(rabbit: irritation)
--------------------	----------	----------------------

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Information on components:**
CAS 7783-35-9: Sensitizing effect by skin contact is possible by prolonged/repeated exposure.
CAS 7778-50-9: Sensitizing effect by inhalation and skin contact is possible by prolonged exposure.

CAS: 7778-50-9 potassium dichromate

Sensitisation	Patch test (human)	(positive) (IUCLID)
---------------	--------------------	------------------------

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 8)

- **Germ cell mutagenicity** May cause genetic defects.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure**
May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Information on likely routes of exposure**
The intake of sulfuric acid is mainly to be expected via the inhalative pathway in the form of aerosols. No studies on absorbability are available.
Generally, local reactions cause the main effects.
Following impact to the skin strong local effects are the main issue. There is no indication of absorption of relevant amounts of S. via the intact skin.
Absorbability via the gastrointestinal tract is assumed. However, no studies on the kinetics of uptake are available. [GESTIS]
The main route of absorption for potassium (di)chromate is through the respiratory tract. Soluble chromates are absorbed relatively quickly through the lungs.
In case of extensive skin contact, especially with injured skin, life-threatening doses can be absorbed. Organic solvents or oils promote absorption.
The main intake route for mercury(II) sulfate is probably via the respiratory tract. Exposure is mainly possible to dusts and aerosols [GESTIS]
- **Additional toxicological information:**
CAS 7789-00-6 Potassium chromate / CAS 7778-50-9 Potassium dichromate
Main toxic effects [GESTIS]:
acute: irritation/damage to mucous membranes and skin, sensitizing effect (skin/respiratory tract). Damage to kidneys, blood and liver.
chronic: irritation/damage to the skin and mucous membranes, especially in the nose and throat. After penetration of the substance into wounds, these tend to form ulcers.
Allergic skin and respiratory diseases.
resorptive effects: primarily damage to the kidneys up to acute kidney failure; in addition, hemorrhagic diathesis, thrombocytopenia, anemia, possibly methemoglobinemia;
rarely: rapid onset of CNS damage or hepatitis as a late consequence; also promoting respiratory infections.
Mercury compounds have a cytotoxic and protoplasmatoxic effect.
The principal signs manifest themselves in the CNS.
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.

CAS: 7664-93-9 sulphuric acid

- (source: GESTIS)
Main toxic effects
Acute: Irritation up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs
Chronic: Irritation to the eyes and airways, erosion of the teeth, damage to the skin

Further Information:
Concentrated S. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects. With increased dilution Sulfuric acid acts less aggressively.

CAS: 7783-35-9 mercury sulphate

- (source: GESTIS)
Main toxic effects:
acute: irritant to corrosive effect on mucous membranes and skin, skin-sensitizing potential, damage to the airways and lungs, gastrointestinal complaints, circulatory disorders, kidney dysfunction
chronic: skin and mucous membrane damage, kidney damage

STOT: the use of mercury nitrate in ointments as an antiparasitic ingredient and experiments on rats (repeated high oral doses) have shown that the kidneys are the most sensitive target organ.

- **11.2 Information on other hazards**
- **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **Other information**
Other dangerous properties can not be excluded.

(Contd. on page 10)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 9)

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 7664-93-9 sulphuric acid

EC50 >100 mg/l/48h (Daphnia magna) (OECD 202)
(ECHA)

LC50 16–29 mg/l/96h (bluegill)
(Merck)

CAS: 7783-35-9 mercury sulphate

LC50 0.5 mg/l/48h (gold orfe)

EC50 0.005–3.6 mg/l/48h (Daphnia magna)

LC50 0.19 mg/l/96h (fathhead minnow)

CAS: 7778-50-9 potassium dichromate

EC50 0.62 mg/l/48h (Daphnia magna) (OECD 202)
(Merck)

NOEC 0.016–0.064 mg/l (Daphnia magna) (7d)
6 mg/l (fathhead minnow) (7d)

IC50 0.16–0.59 mg/l/96 h (Chlorella vulgaris)
(IUCLID)

EC50 0.31 mg/l/72h (Desmodesmus subspicatus)

LC50 58.5 mg/l/96h (byr)
0.131 mg/l/96h (bluegill)
160 mg/l/96h (guppy)
26.13 mg/l/96h (fathhead minnow)
(Merck/IUCLID)

· Bacterial toxicity:

sulphates toxic > 2.5 g/l

CAS: 7778-50-9 potassium dichromate

EC50 58 mg/l (Photobacterium phosphoreum) (30 min; Microtox-Test)

· Other information:

Toxic for fish:

Sulphates > 7 g/l

· 12.2 Persistence and degradability .

· Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· 12.3 Bioaccumulative potential No further relevant information available.

· Bioconcentration factor (BCF)

CAS: 7778-50-9 potassium dichromate

BCF 17.4 (rainbow trout)

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Avoid transfer into the environment.

· Water hazard:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 10)

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

European waste catalogue

16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances
-----------	--

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

UN2922

14.2 UN proper shipping name

ADR

2922 CORROSIVE LIQUID, TOXIC, N.O.S. (SULPHURIC ACID, MERCURY SULPHATE), ENVIRONMENTALLY HAZARDOUS

IMDG

CORROSIVE LIQUID, TOXIC, N.O.S. (SULPHURIC ACID, MERCURY SULPHATE), MARINE POLLUTANT

IATA

CORROSIVE LIQUID, TOXIC, N.O.S. (SULPHURIC ACID, MERCURY SULPHATE)

14.3 Transport hazard class(es)

ADR



Class

8 (CT1) Corrosive substances.

Label

8+6.1

IMDG



Class

8 Corrosive substances.

Label

8/6.1

IATA



Class

8 Corrosive substances.

Label

8 (6.1)

14.4 Packing group

ADR, IMDG, IATA

II

14.5 Environmental hazards:

Marine pollutant:

Product contains environmentally hazardous substances: mercury sulphate

Special marking (ADR):

Symbol (fish and tree)

Symbol (fish and tree)

14.6 Special precautions for user

Kemler Number:

Warning: Corrosive substances.

86

(Contd. on page 12)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 11)

· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids, (SGG7) heavy metals and their salts (including their organometallic compounds)
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

* SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
· Poisons Act UK	
· Regulated explosives precursors	
The substance falls under regulated explosive precursors due to the fact that the concentration is greater than/equal ($\geq x\%$) the stated mass percentage:	
CAS: 7664-93-9	sulphuric acid 15%
· Regulated poisons	
CAS: 7783-35-9	mercury sulphate Listed
· Reportable explosives precursors	
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
· Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	not regulated: article
· explosives precursors - ANNEX I	
CAS: 7664-93-9	sulphuric acid *
· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)	
CAS: 7783-35-9	mercury sulphate Annex I Part 1 Annex I Part 3 Annex V Part 2
· Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:	
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on drug precursors	
CAS: 7664-93-9	sulphuric acid 3
· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors	
CAS: 7664-93-9	sulphuric acid 3
· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:	
None of the ingredients is listed.	
· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)	
None of the ingredients is listed.	

(Contd. on page 13)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 12)

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

CAS: 7778-50-9 | potassium dichromate

- **Substances of very high concern (SVHC) according to REACH, Article 57** see item 3 SVHC
- **Substances of very high concern (SVHC) according to UK REACH** see item 3 SVHC
- **Directive 2012/18/EU (SEVESO III):**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category** E1 Hazardous to the Aquatic Environment
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 18, 28, 29, 30, 47, 72
- **Information about limitation of use:**
 - Employment restrictions concerning young persons must be observed (94/33/EC).
 - Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Training hints** Provide adequate information, instruction and training for operators.

· Relevant phrases

H272 May intensify fire; oxidiser.
 H290 May be corrosive to metals.
 H300 Fatal if swallowed.
 H301 Toxic if swallowed.
 H310 Fatal in contact with skin.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H330 Fatal if inhaled.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H340 May cause genetic defects.
 H350 May cause cancer.
 H360FD May damage fertility. May damage the unborn child.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development
 STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (UK REACH)
 PNEC: Predicted No-Effect Concentration (UK REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Ox. Sol. 2: Oxidizing solids – Category 2
 Met. Corr. 1: Corrosive to metals – Category 1

(Contd. on page 14)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 52 (replaces version 51)

Revision: 27.10.2023

Product name: COD / CSB 0-15000 mg/l

(Contd. of page 13)

Acute Tox. 2: Acute toxicity – Category 2
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 1: Acute toxicity – Category 1
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Resp. Sens. 1: Respiratory sensitisation – Category 1
 Skin Sens. 1: Skin sensitisation – Category 1
 Muta. 1B: Germ cell mutagenicity – Category 1B
 Carc. 1B: Carcinogenicity – Category 1B
 Repr. 1B: Reproductive toxicity – Category 1B
 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· Sources

Data arise from safety data sheets, reference works and literature.
 ECHA: European CHemicals Agency <http://echa.europa.eu>
 IUCLID (International Uniform Chemical Information Database)
 RTECS (Registry of Toxic Effects of Chemical Substances)
 GESTIS- Stoffdatenbank (Substance Database, Germany)

· * Data compared to the previous version altered.

GB